



IN-WALL

PL5 DUAL - Dual flush operating plate for concealed cistern

DIMENSIONS COLOURS AND FINISHES

Length 250 mm.


Height 160 mm.

0 White

TECHNICAL DRAWINGS

FEATURES

Number of buttons: 2





COMPATIBLE WITH



BASIC TANK LH with AG valve (under window) concealed cistern for backto-wall WCs

8901212A1



BASIC TANK L with AG valve (under window) 820mm high concealed cistern for back-to-wall WCs

8901212A0



BASIC TANK L with AG valve (under window) 820mm high concealed cistern for back-to-wall WCs

890121200



Duplo WC L with AG valve (under window) 820mm high concealed cistern and frame for wall-hung WCs

890121010



DUPLO WC SMART with AG

890090800



BASIC CISTERN - Concealed cistern without frame for WC

890090200



DUPLO WC with AG valve (110mm cistern) concealed cistern and frame for wallhung WCs

890090020



BASIC TANK COMPACT with AG valve (80mm cistern) concealed cistern for backto-wall WCs

8900802A0



BASIC TANK COMPACT with AG valve (80mm cistern) concealed cistern for backto-wall WCs

890080200



BASIC WC COMPACT with AG valve (80mm cistern) concealed cistern and frame for wall-hung WCs

8900801A0



BASIC WC COMPACT with AG valve (80mm cistern) concealed cistern and frame for wall-hung WCs

890080120



DUPLO WC COMPACT with AG valve (80mm cistern) concealed cistern and frame for wall-hung WCs

8900800A0



In-Wall

Systems that combine efficiency and technology, turning them into solutions that look after the design and adapt perfectly to the space concerned.

Innovation and the avant-garde join forces to guarantee the best features, where convenience, saving and style are to be found in every detail.

INSTALLATION AND USER MANUALS



Installation manual



Spare Parts Catalogue